

**Notice of Allowability**

Application No.

10/700,131

Applicant(s)

PRODOEHL, ELLYNE ELIZABETH

Examiner

Donald Loney

Art Unit

1772

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the RCE filed May 31, 2007.
2. ☒ The allowed claim(s) is/are 15, 17 and 19-24.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some\*    c) ☐ None    of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- |  |   |
|--|---|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892)   | 5. <input type="checkbox"/> Notice of Informal Patent Application                     |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | 6. <input type="checkbox"/> Interview Summary (PTO-413),<br>Paper No./Mail Date _____ |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO/SB/08),<br>Paper No./Mail Date _____    | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment                   |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit<br>of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance  |
|  | 9. <input checked="" type="checkbox"/> Other <u>See Continuation Sheet</u> .          |

/Donald J. Loney/  
Primary Examiner  
Art Unit: 1772

Continuation of Attachment(s) 9. Other: drawings filed July 14, 2004 are acceptable.

***Continued Examination Under 37 CFR 1.114***

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on May 31, 2007 has been entered.

**EXAMINER'S AMENDMENT**

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

The application has been amended as follows:

3. This application is in condition for allowance except for the presence of claims 12-14 directed to an invention non-elected without traverse. Accordingly, claims 12-14 been cancelled.

4. On page 11, line 10 of the specification after "1998" the phrase -- now U.S. Pat. No. 6,187,138 -- has been inserted. On page 11, line 13, after "2001" the phrase -- now U.S. Pat. No. 6,547,928 -- has been inserted. On page 13, line 4 after "2003" the phrase -- now U.S. Pat. No. 7,052,580 -- has been inserted. On page 13, line 6, after "2003" the

phrase -- now U.S. Pat. No. 7,067,038 -- has been inserted. On page 13, line 7, after "2002" the phrase -- now U.S. Pat. No. 6,986,932 -- has been inserted. On page 13, line 8, after "20" the period "." has been changed to a comma -- , --. On page 13, line 8, after "2000" the phrase -- now abandoned -- has been inserted.

### **REASONS FOR ALLOWANCE**

5. The following is an examiner's statement of reasons for allowance: the prior art fails to teach, disclose or fairly suggest a three dimensional tissue towel product comprising plurality of raised protrusion areas of the recited dimensions with a plurality of connecting elements raised above the z-direction and at least partially recessed from the raised protrusions connecting two of the raised areas, the plurality of raised protrusions and plurality of connecting elements forming a first sub-pattern and a second sub-pattern, wherein the first sub-pattern comprises a first set of parallel rows and connecting elements and a second set of parallel rows and connecting elements which are not parallel to one another and the first sub-pattern is structurally distinguishable from the second sub-pattern and wherein the second sub-pattern region comprises at least two sets of parallel rows of protrusions and connecting elements which are not parallel to the rows in the first sub-pattern in combination with all the other limitations in claim 15.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Art Unit: 1772

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Donald Loney whose telephone number is (571) 272-1493. The examiner can normally be reached on Mon, Tues, Thurs and Fri. 8AM-4PM, flex schedule.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rena Dye can be reached on 571 272-3186. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Donald J. Loney/  
Primary Examiner  
Art Unit 1772

DJL:D.Loney  
08/20/07